

GET MORE FROM YOUR ATV!

2015

Quad-X

Designed & Manufactured in Britain

ATV, UTV AND GROUND CARE EQUIPMENT



www.quad-x.com



Quad-X has evolved from humble beginnings, based on the family farm where a young engineer started business as a small ATV service and repair workshop. Quad-X has been in operation since 1993 and is located in County Antrim, Northern Ireland.

We are now one of the leading manufacturers of quad and utility vehicle accessories in Europe, with 95% of production exported to 16 countries, and are proud to have built our brand reputation to what it is today. Quad-X was shaped by a vision, where a dream has been turned into a range of outstanding products.

Driven by engineering ingenuity, our R&D team's agricultural background means we already understand the problems our customers face.



We realise the importance of ensuring attachments are simple to use, easy to fit, robust, reliable and ultimately competitively priced.



www.blaneyagri.com

Our tractor machinery division Blaney Agri Solutions also design and manufacture a growing range of larger agricultural machinery for tractors.



Quad-X on-farm feedback workshop

We at Quad-X are genuinely interested in developing and manufacturing the best performing machines. This is why we are best known for our innovative and unique features that have been designed and developed in consultation with farmers and land owners so all our existing products offer solutions to existing customers' problems. We know that time is your most valuable resource so we manufacture machines to save you time and money.

We carry out events to show our machines in action. This gives us the opportunity to chat with people like you face to face and discuss how we can improve, to make your job easier.

We also use these workshops to share our knowledge that has been built up over the years through continual development and contact with farmers and agricultural advisors all over Europe.

Designed and developed in consultation
with farmers and landowners.

Find us on Facebook!



QuadXmachinery

Follow us on Twitter!



QuadXmachinery

Receive information on NEW products.

Find out about up and coming demonstrations.

Log your interest in local demos.

Receive special offers.

www.quad-x.com

Quad/ATV Equipment

SPRAYERS

Sprayer features, Quad-X Superpump.....6
 Eco Spray & Pro Spray.....7
 Pro Spray Elite & 135L Pro Elite.....8
 Mono Spray & Low Pro Spray.....9
 Water Bowser & 230L Towed Sprayer10

BOOMS

Basic Booms, Commercial Booms & Boom features.....11
 Precision Booms.....12
 Anti-drift & Widespray Booms.....13

WEED WIPERS

Weed Wiper Features.....14
 Weed Wipeout.....15
 Xterminator & Weed Destroyer.....16

TRAILERS

Stock trailers: Folding sided & Full sided17
 General Purpose & Basic tipping trailers.....18
 Plastic Hopper Tipping Trailer.....19
 Mechanical Tipping Trailer.....20
 Log Trailer.....21
 Bale Transporter & Trailer Kits.....22
 Golf Buggy Trailer/ATV.....23

MOWERS

Compact Rotary Mower.....24
 Wildcut Mower features.....25
 Wildcut Mower (Medium, Heavy & Extreme Duty).....26
 Flail Mower.....27
 Power Shredder.....28
 Power Shredder features.....29

FERTILISER SOWERS

Plastic Coated Sower – 7,10 & 12 bag.....30
 Electrobroadcaster & 6 bag Sower.....31

SALT SPREADERS.....32

STOCKFEEDER.....33

MUCK SPREADERS.....34

ROLLERS & AERATORS.....35

MENAGE GRADER	36
MENAGE GRADER & CHAIN HAROWS	37
FRONT MOUNT ATTACHMENTS	
Front Mount & Lift System & Supermount	38
Front Bucket, Yard Scraper	39
Snow Plough & Silage Pusher/Blade.....	40
Power Sweeper.....	41
RACK ACCESSORIES	
High Grip Rack Cover & Dog Pad.....	42
ATV EXTRAS	
Hand Muffs, Indicator Kits & Mirror Kits.....	43

Utility Vehicle Specialist Equipment

INTRODUCTION & UTV SPRAYERS & BOOMS	44
230L Pro Elite UTV Sprayer.....	45
UTV CABS	46
UTV CAB DOORS	47
UTV FRONT MOUNT ATTACHMENTS	
UTV Supermount, Yard Scraper & Snow Plough.....	48



Tractor Machines

LOG SPLITTERS	49
BLANEY AGRI DIVISION	50
SPARE PARTS & BACK UP SERVICE	51



www.quad-x.com
www.blaneyagri.com

Sprayers

Giving you peace of mind, with 20 years manufacturing experience.



Quad-X manufactures a large and diverse range of spraying equipment to suit everyone from the infrequent to the commercial user. Years of continual product improvement ensures you get the best value for money with reliable and proven products.

Common features in the sprayer range:

Features:

- ◆ Fit quickly and easily onto any quad.
- ◆ Runs off 12v power supply.
- ◆ Wiring kit with quick release plug & hand lance.
- ◆ Low profile design for lower centre of gravity.

Options:

- ◆ 60L & 100L capacity.
- ◆ Longer hose.
- ◆ Choice of straps.
- ◆ Tractor Plug.

Superpump

Proven to reduce drift & save you chemical.

The Quad-X Superpump is fitted to the Eco, Pro, Pro Elite and Low-Pro models. This pump creates more pressure for finer droplets and more accurate coverage, saving you valuable chemical and preventing drift.

Unrivalled 3 year parts warranty
on the Quad-X Superpump.

- ◆ High Capacity (8,11 & 18LPM options).
- ◆ Fully submersible.
- ◆ Unrivalled 3 year warranty.
- ◆ Four chamber pump.
- ◆ Creates more pressure.
- ◆ Creates finer droplets.
- ◆ More accurate coverage.
- ◆ Auto Cut out switch.
- ◆ Steady pressure - less waste.
- ◆ Produces greater jet spray distance with hand lance.



Quad-X Superpump



100 Litre model shown

The Eco Spray is Quad-X's basic model suitable for boom spraying.

- ◆ High capacity 'SUPERPUMP' for spot and boom spraying.
- ◆ Easy to use plastic hand lance with high flow nozzle & 2m hose.
- ◆ Available in 60L & 100L capacity.
- ◆ Drain plug for easy drainage.



60 Litre model with 11ft boom

Pro Spray

The Pro Spray is our most popular model ideal for frequent users for both spot spraying and boom spraying. Thanks to its accuracy and superior aluminium hand lance, the Pro Spray has less drift, making it more environmentally friendly.



60 Litre model

Specially designed hand lance to reduce dangerous drift to the user!

- ◆ High capacity 'Super-pump' for spot and boom spraying.
- ◆ Yellow tanks are UV protected with heavier wall thickness - strong and durable.
- ◆ Available in 60L and 100L.
- ◆ Lockable aluminium hand lance with high-flow nozzle (goes from single jet to 2m spread) & 5m hose.
- ◆ Simple well system and drain plug for easy drainage.

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

Pro Spray Elite

Designed for the professional user.

SPRAYERS



Less unwanted kill from drift!

The Pro Spray Elite is based on the Pro Spray model with all the features it offers and more. Available in 60L and 100L capacity.

Additional Features:

- ◆ Pressure gauge.
- ◆ Return agitation system for power based chemicals.
- ◆ Quick release valve for easy boom connection and removal.
- ◆ Foot filter.

Built for RELIABILITY!

Pro Spray Elite 135L



Designed for complete emptying of tank.

This 135L capacity sprayer is ideal for those with larger ATVs and utility vehicles. It is based on the ProSpray Elite model and thanks to its accuracy and its superior aluminium hand lance with high-flow nozzle the 135L Pro Spray elite has less drift and so is more environmentally friendly and ensures effective and accurate spot spraying.

- ◆ High capacity 'Superpump' located under the tank to increase efficiency.
- ◆ Cone shaped tank at bottom so full contents of the tank are always used.

Made to your spec at www.quad-x.com

Low-Pro Spray

Developed for improved stability & rider safety



The Quad-X Low-Pro Spray has been specially designed with a low centre of gravity making it safer to use on slopes. Equipped with the Quad-X Superpump.

- ◆ Low gravity design - lower tank leg improves safety on slopes.
- ◆ 75L Capacity.
- ◆ Tank leg provides smaller well for easier tank emptying.
- ◆ Internal baffle to greatly reduce the danger effect of liquid surge on rough ground or while traveling.
- ◆ Optional 2 litre on board fresh water hand rinse tank.
- ◆ Front or rear mounting.
- ◆ High capacity 'Superpump' for spot and boom spraying with options of 8lpm, 11lpm or 18lpm capacities.
- ◆ Lockable aluminium hand lance with high-flow nozzle (goes from single jet to 2m spread) & 5m hose.
- ◆ UV protected tank to prevent cracking in sunlight, with heavier wall thickness - strong and durable.
- ◆ Pressure gauge.
- ◆ Quick release valve for easy boom connection.

Mono Spray

The Mono Spray is for those with a budget and more simple jobs in mind. Available in 60L.



- ◆ Medium capacity pump for spot spraying only.
- ◆ Easy to use plastic hand lance & 2m hose.

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

230L Towed Sprayer



Mounted Sprayer Range in 230L capacity also available.

230L towed sprayer with 22x11x8 tyres & 5.5hp engine

This 230L Towed Sprayer is suited to any vehicle with a 50mm tow ball and is equipped with a 12v Quad-X Superpump, or larger engine driven pump. It has an aluminium handlance for spot spraying and any of the Quad-X ATV Booms are compatible with this sprayer, making it an ideal system for boom spraying. When fitted with the Quad-X Basic Booms it is ideal for disinfecting applications eg poultry units. The towed sprayer is strengthened for off road applications.

Features

- ◆ UV protected, heavy-wall tank for durability.
- ◆ Aluminium Lockable handlance.
- ◆ Return agitation & Pressure gauge.
- ◆ Variable height draw bar to suit any vehicle.
- ◆ 18x8.5-8 turf tyres.

Options

- ◆ 5.5 hp engine and 27/Lmin or 12 volt Pump (with ¾" outlet).
- ◆ 22x11-8 (flotation tyres) or 20x8-10 (road tyres).
- ◆ Longer hose up to 30m.
- ◆ Self fill option with suction filter.
- ◆ Swan neck control box - can be reached from the ATV.
- ◆ Various boom options

230L Water Bowser

Ideal for watering livestock, plants & trees. Available as a towed or mounted version. Equipped with 6m of 50mm diameter gravity outlet hose. Manual fill as standard.

Options include: 5.5 hp engine with 27L/min pump, self fill kit & pumped ¾" outlet @27l/min.

Booms

The Quad-X spray boom range allows you to choose the spray width that best suits your job to maximise the use of your sprayer. We offer booms to suit all budgets and requirements.

Basic Broadcast Booms

- ◆ Basic Boom for fast coverage, suited to no wind conditions
- ◆ Single nozzle 4m left or right sided spray or 8m twin nozzle spray width.
- ◆ Easily attached to your quad



Commercial Booms

Impressive range built in response to your requests

This impressive range is designed for commercial users to be versatile for a number of applications. They are strong and robust to provide many years of service with continuous use.



Minimises drift & Maximises spraying efficiency!!

3m boom with 100l Pro Spray Elite

- ◆ Quick height adjustment.
- ◆ Models include: 3m (10ft) .
- ◆ Stainless steel wings for strength and corrosion resistance.
- ◆ Unique breakback friction plates on 2 planes (Folds back if hits object).
- ◆ Wings can lift vertically to do ditches, embankments and higher hedges.

Options:

- ◆ Hedge nozzle for field margins.
- ◆ Individual nozzles can be shut off or in 2 sections.

The main features of the other Quad-X booms are:

- ◆ Quick fit system attaches to ATV in seconds. (No tools required).
- ◆ Adjustable spraying height.
- ◆ Supplied with all hardware
- ◆ Suits most makes of sprayer.
- ◆ Optional hedgerow cut off kits can be inserted to cut off at least 1 outer nozzle for a narrower spray width.
- ◆ Fold up for easy transport.
- ◆ Can angle outer wing section for hedgerow spraying.

Precision Booms

BOOMS



11ft model with 100L pro spray

These are our most popular model of boom due to their accuracy and exceptional performance. Superior to the widespray models, these booms are equipped with precision nozzles for more accurate spraying.

- ◆ Made from corrosion proof alloy.
- ◆ Lightweight for easy handling.
- ◆ Precision nozzles for accurate spraying. Sprays larger droplets, which are less likely to be affected by the wind.
- ◆ Multiple cut off position model available in 11ft(3.35m) & 16ft(4.8m) models to shut off an entire wing.
- ◆ 5ft (1.5m), 11ft (3.35m) or 16ft (4.8m) spray width.
- ◆ Optional hedgerow swing arm to set the 5ft (1.5m) boom out to the side of your ATV rather than directly behind.
- ◆ Each spray nozzle has its own filter.



16ft model with 135L pro elite

Most popular for frequent use!!



5ft model shown with 60l eco spray



5ft model with hedgerow swingarm shown



11ft model angled with 100L pro

Anti Drift Boom

Proven to reduce damaging & costly drift



The Quad-X anti-drift boom is equipped with a unique break back outer section to avoid damage upon collision and for easy fold-up.

- ◆ 7 Anti-drip precision nozzles for accurate spraying in most weather conditions.
- ◆ Galvanised anti-drift cover provides shelter from the wind to ensure pattern of spray is not affected at the crucial point of exit from the nozzle.
- ◆ 3.35m (11ft) spray width.
- ◆ Outer wings swing back to reduce damage caused by collisions.
- ◆ Multiple cut off position model available to allow you to spray with an individual wing.
- ◆ Painted steel fabrication for strength.

Wide Spray Boom



12ft model shown

The corrosion proof widespray alloy boom is for the budget minded user.

- ◆ Lightweight for easy handling.
- ◆ Available in 6ft8 (2m) and 12ft (3.6m) spray widths.
- ◆ Optional hedgerow swing arm to set the 6ft8 (2m) boom out to the side.
- ◆ Equipped with turbo nozzles.



2m model shown

Booms to suit all users www.quad-x.com

Weed Wipers

Massive savings on chemical. Lowest cost weed kill with weed detection and dual rollers.

WEED WIPERS



Wipeout with 100L tank

A Quad-X herbicide applicator is the ideal solution to treating weeds taller than the grass. Unlike boom spraying, the Quad-X herbicide applicators treat only the weeds giving faster kill rates while saving chemical without stinting the grass and clover growth. Quad-X have developed a range of revolutionary weed wipers to deal with the toughest of weeds in an eco sensitive way reflecting concern for conservation and preservation of wildlife habitats.

The main features of these machines are:

- ◆ Total width of machines is 2.4m/8ft.
- ◆ 3 machines can be connected.
- ◆ Absorbent long fibre synthetic rollers - for less drips & optimum chemical retention & application.
- ◆ Contra rotating rollers apply the chemical to the sensitive underside of the weed giving a more efficient and faster kill rate.
- ◆ Knobby 22x11-8 flotation tyres make the machine suitable for use on soft/wet ground with optimal chemical application & atomisation.
- ◆ With the largest height range on the market; they can be adjusted from 140mm – 380mm.
- ◆ Unique drawbar design so the roller is first to come into contact with weeds after the towing vehicle (weeds aren't knocked down by drawbar).

Options

- ◆ Handlance kit.
- ◆ Wiring kit & pressure control if using an existing sprayer tank.
- ◆ 60L or 100L tank.
- ◆ Spring Assisted Lift & Jockey Wheel – for easy height adjustment.

Tractor Weed Wipers now available up to 8.5m width Visit: www.blaneyagri.com



Spring assisted lift

Weed Wipeout 2™ (NEW 2015!)

The Wipeout 2 is 2nd generation patented wiping technology offering massive savings on chemical over any conventional system and is ideal for environmentally sensitive areas where boom spraying is not appropriate.

Why choose a Quad-X Weed Wipeout 2™?

Automatic weed detection & chemical application system.

- ◆ Fill your tank & drive - No need for guesswork!
- ◆ The weed detection system automatically activates the system to apply the optimum amount of chemical to the rollers, only when weeds are present, leaving you free to concentrate on driving, while saving chemical.
- ◆ Unique chemical control system to regulate chemical application rates for different weed densities



Innovative dual, contra rotating long fibre rollers; for maximum kill & minimum drips.

- ◆ Dual rollers (Xterminator & Wipeout Models) rotate in opposite directions for optimum chemical application - for quicker kill.
- ◆ 1st roller lifts the weed leaf and applies chemical to the sensitive underside, rather than the waxy surface, for faster kill rates.
- ◆ The 2nd roller acts to separate out clumps of weeds for better application. Chemical is applied to the primary roller, while the 2nd roller absorbs any excess to minimise drips.
- ◆ Achieve up to 100% kill rates - without the need to wipe in the other direction, to save time & chemical.

Unique Atomisation Technology for better chemical application.

- ◆ Through considerable development time and investment, Quad-X has pioneered a process of unique atomisation technology where chemical is applied in the form of a micro-bubble which attach themselves to the open fibre roller without bursting.
- ◆ Upon contact with the weed the micro-bubbles burst and provide better stem coverage than the standard chemical film approach.

Weed Wipeout 2™ Enhanced features:

- ◆ Improved performance with 14% less chemical usage thanks to further R&D on chemical application process.
- ◆ New tank retaining system and new remote radio frequency controller to avoid risk of accidental damage.
- ◆ Improved frame design for extra strength, yet more lightweight.
- ◆ Improved design for maintenance to reduce service time. No need for tools for service checks.

See our machines in action at www.quad-x.com

Xterminator



Shown with 100L tank and spring assisted lift

The Quad-X Xterminator has all the features of the Wipeout however instead of the automatic chemical application system it has a manual application system, so the user controls the chemical application. Optional tank.

Weed Destroyer



With 60L tank, drawbar shown in offset position

The Weed Destroyer, although the most basic in the Quad-X range of weed wipers, has a lot of impressive features to offer. Equipped with a single contra-rotating roller, it lifts the weed up and applies the chemical to the sensitive underside of the leaf for much faster herbicide absorption and faster weed kill rates.

The Weed Destroyer uses a manual application process and comes with optional 60L tank and tank mount. Drawbar can be offset (3 positions).



Weed Destroyer with tank mount & 60L tank

Stock Trailers

Choose from our 5x3'3 solid sides or fold down sides. Both of these trailers are ideal for off-road use.

Features:

- ◆ Galvanised for durability.
- ◆ Choose from swing or ramp door option.
- ◆ Pressed strengthened sides.
- ◆ Treated wooden floor – high grip design.
- ◆ Knobby off road tyres 22x11-8 tyres.

Options:

- ◆ Adjustable and removable divider gate inside trailer.
- ◆ Ramp with integrated swing door.
- ◆ Aluminium floor, positioned on top of wooden floor for extra strength.
- ◆ Mud guards.

Folding Sided Trailer



Maximise your trailer capacity.

5x3 folding sides with mud-guards & dividing gate

Additional Features:

- ◆ Sloped sides to prevent ewes escaping.
- ◆ Feet on rear door for easy lifting of the ramp door after loading/unloading.
- ◆ Optional 3 position partition - can be stored at front of trailer.



Ramp door with integral stock door

5x3'3 Full Sided Stock Trailer



5x3 solid sides with swing door

7x4 trailer can be used as a stock trailer too!

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

General Purpose 7x4 Trailer



Full sided 7x4 with lamb partition

Tow behind your quad OR use to transport your quad.

Fitted with mudguards, suspension and wide road type tyres, this trailer can be towed behind your car or 4x4. It is equipped with a drive on ramp for easy transportation of your quad / lawnmower.

- ◆ Ideal for ATV transport.
- ◆ Corrosion proof galvanised finish.
- ◆ Marine wooden floor for long life.
- ◆ Aluminium door – corrosion proof and lightweight for easy handling.
- ◆ Removable mesh extension sides available.
- ◆ Dimensions: 2025 x 1225 x 385mm.
- ◆ Mudguards & suspension.
- ◆ Optional aluminium floor.
- ◆ Optional lamb partition.
- ◆ Optional lights

Basic Tipping Trailer



15x6x6 tyre size shown

This tipping trailer is designed for lightweight use around the home or garden. More heavy duty than any garden style trailer. Two tyre sizes available: 15x6x6 and 18x9.5x8.



360L Plastic Tipping Trailer Shown

This trailer has been designed to be lightweight and versatile to make your jobs around the farm, stables and garden easier. It is easily manoeuvred making it ideal for use in tighter spaces like stables and gardens.

The body of the trailer has been manufactured from high density plastic making it strong and sturdy. Superior to ANY wheelbarrow - you can tackle everyday work on your farm, stable, estate and gardens easily with this trailer.



240L



300L



500L



Large wheel option on 300L

Features:

- ◆ 240L, 300L, 360L & 500L capacity versions available.
- ◆ Corrosion & rot proof body.
- ◆ Tyres ideal for soft/rough ground.
6" Turf tyres up to 360L model, 19-7x8 on 500L.
- ◆ Standard with 50mm hitch.

Options:

- ◆ Optional pin to allow towing with a lawnmower.
- ◆ Optional wide knobby tyres available.

Strong, Durable & Easy to clean.

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

Mechanical Tipping Trailer

No more struggling to tip with lever assisted lift

TRAILERS



5x3'3 Mechanical Tipping Trailer

Using high-tech computer FE analysis this tipping trailer has a lightweight chassis yet with maximum strength for hauling heavier loads and increased life. The lifting mechanism provides positive lifting and lowering and lifts to just before balancing point. You can use your weight to push-down on lever to lift body, making it easier to tip.

- ◆ Removable rear door for easy removal of contents & cleaning.
- ◆ Lever assisted lifting mechanism.
- ◆ Galvanised for long life.
- ◆ Quick release hitch.
- ◆ Knobby flotation tyres.
- ◆ Press strengthened sides.
- ◆ Dimensions: 1450 x 1000 x 450mm.
- ◆ Optional extension sides.

Ideal for more applications than you'll ever think of!



For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800



Electric winch and crane shown

This specially designed log trailer is the perfect solution for moving timber in sensitive or awkward sites, minimising damage to growing trees. For use with an ATV, UTV or compact tractor.

- ◆ Carries logs up to 4m long.
- ◆ Adjustable wheelbase positioning: can be shortened for better manoeuvrability around trees and tight spaces, then lengthened for stability at speed during road transport.
- ◆ Bogie axle for use over rough terrain and large objects, providing suspension and easier pull as well as more stability when loaded.
- ◆ Optional crane hoisting device for easy loading/unloading.
- ◆ Optional electric winch.
- ◆ Swivel hitch.



For more Log Trailer info & pictures
visit our website www.quad-x.com

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

Bale Transporter

Designed to load, move & unload bales easily.



Double bogie option shown

This specialist trailer is ideal for transporting silage, hay, haylage and straw bales. Fitted with 22x11-8 flotation tyres it is handy for bringing bales in from the field and moving them around even in wet conditions. It is well balanced in order to reduce the weight on your drawbar. The Transporter can even be easily positioned by hand while loaded with a hay bale. It has been developed to make the bale mass assist in loading, reducing forces required to load a 1/2 tonne bale.

The unique design helps prevent the quad rear wheels lifting during loading. While the clamping arms are designed to minimise wrap damage during transportation.

Features:

- ◆ 22x11-8 flotation tyres.
- ◆ Suitable even for silage bales.

Options:

- ◆ Manual or electric lift.
- ◆ Single axle or double bogie.

Trailer Kits



Selection of trailer kits shown

Hi-strength rugged stub axles with a PCD of 4".

Wheel sizes:
22x11-8, 20.5x8-10,
15x6-6.

Suspension unit sizes:
500kg / 750kg.

Features:

- ◆ Road Tyres or Knobby Tyres.
- ◆ Rims.
- ◆ Stub axles.

Options:

- ◆ Suspension units.
- ◆ Tow hitches.

Golf Buggy/ATV trailer

Easy Loading without ramps.



This lightweight trailer is designed especially to make loading and off loading your golf buggy simple, easy and fast. This Golf Buggy Trailer is galvanised with a unique pivot body, correctly balanced to allow for gentle loading and off loading of the golf buggy.

- ◆ Galvanised for durability.
- ◆ Balanced for gentle loading.
- ◆ Lightweight - trailer can be moved manually.
- ◆ Optional Jockey Wheel.



No Ramps required!
visit www.quad-x.com for more info.

Compact Rotary Mower



The Quad-X Compact Mower is the most versatile ATV finishing mower for mulching lawns to light topping.

- ◆ 12.5 hp (recoil) & 13.5 hp (electric start) Briggs & Stratton engine.
- ◆ Industry leading lift, it can be altered from 19 - 180mm.
- ◆ Quick height adjustment.
- ◆ Cutting width approx 1.2m.
- ◆ Compact design for manoeuvrability and easy storage.
- ◆ Special shaped deck and offset wheels for tighter turning circle for using around trees.
- ◆ Adjustable tow hitch height - suits any vehicle.
- ◆ 2 position drawbar offset positions for hard to reach areas.
- ◆ Machine mounted control box for easy to reach throttle control.
- ◆ 15x6-6 wheels.
- ◆ Optional mulching kit for an extra fine cut.
- ◆ Twin blades for lawn finish.
- ◆ Can be run at any speed as no centrifugal clutch to give trouble.



Body shape and unconventional wheel position gives better 'following' of towed vehicle, reducing uncut stripes in curves and corners.

The Most Capable rotary ATV mowers available.



Medium duty wildcut shown

With a bulletproof reputation in the industry, these machines are designed to last for years. These mowers are very capable machines and depending on the engine size you choose they can tackle anything from topping light paddocks to working with extremely dense vegetation such as rushes. With the Wildcut running at approx 2 ½ times the speed of a tractor topper, work results are very impressive for their size.

Common Features are:

- ◆ Cutting width 1.2m.
- ◆ Adjustable tow hitch height.
- ◆ Hardened swinging blades – fold back if a small stone is struck to minimise damage.
- ◆ Unique soft-start mechanism which increases the belt life of the machine.
- ◆ Floating deck – deck remains parallel when height is adjusted.
- ◆ Unique inbuilt blade brake system - when the drive is disengaged it will automatically stop the blades.
- ◆ Adjustable offset drawbar so you can adjust the machine to the appropriate position for you.
- ◆ Adjustable cutting height (50-250mm) suitable for cutting different vegetation heights.
- ◆ Machine mounted control box – simple and direct control of blade engagement and speed which is reachable from the quad.
- ◆ Optional momentum dynamo to maintain RPM in heavier material.
- ◆ No centrifugal clutch to give trouble.

Check out our website to see which machine suits your needs. www.quad-x.com



The Extreme Duty Wildcut mower is an extremely impressive ATV topper suitable for mowing in areas of dense overgrown vegetation including heavy rushes, heather and bracken. It is available in a choice of 2 Briggs and Stratton engine sizes, 16v-twin and 18 v-twin, both electric start commercial engines which carry a 3 year warranty. Fitted with 20-7x8 wheels.

Wildcut Heavy Duty



The heavy duty Wildcut mower is suitable for topping areas of overgrown vegetation including light rushes, saplings and bracken. It is available in 15.5hp and 17.5hp Briggs and Stratton engine sizes, both electric start. Fitted with 20-7x8 wheels.

Wildcut Medium Duty

The Medium Duty Wildcut is an ATV mower ideal for topping paddock areas. An optional wheel extension kit allows for rear wheel positioning.



Rear wheel extension kit



Large wheel option

It is available in a choice of 3 Briggs and Stratton engine sizes: 11.5hp (recoil), 12.5hp (recoil) & 13.5hp (electric start).

Equipped with 15-6x6 wheels or optional 20-7x8 wheels.

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800



The Quad-X Flail mower is designed to pulverise vegetation cutting it into small pieces for faster decomposition.

It is capable of dealing with overgrown areas of grass, and light weeds. It is powered by a 16hp or 18hp twin cylinder Briggs and Stratton engine, both of which carry a 3 year warranty.

For heavier material such as rushes see our Power Shredder.

- ◆ Cutting widths 1.3m/4ft 3 & 1.5m/5ft.
- ◆ Infinite cutting height from 20 - 200mm to suit various vegetation heights.
- ◆ Large 22-11x8 Flotation Tyres as standard to make the machine suitable for use on soft/wet ground.
- ◆ Side and rear wheel positioning as standard - NO EXTRAS REQUIRED.
- ◆ Adjustable tow hitch height - suits any vehicle.
- ◆ Adjustable offset drawbar to position the machine to suit your particular job.
- ◆ By using 3-D finite element analysis on the deck we have been able to design the mower for maximum strength and minimum weight, making it easier to tow and reducing tyre tracks on the ground surface.
- ◆ Debris guards for maximum rider protection.
- ◆ Briggs & Stratton v-twin commercial engine - 3yr warranty. 16hp or 18hp, recoil or electric start.
- ◆ Grass blades or optional toothed rush blades for dense vegetation.
- ◆ High speed rotor for finer chop.
- ◆ Auto drive engagement.

Power Shredder

The World's First ATV Power Shredder Mower designed for outstanding results in dense vegetation

MOWERS



Speak to our team about Diesel versions and tractor mounted models.

The Power Shredder is a very unique machine designed and developed over a period of 5 years to give outstanding performance in extremely dense vegetation, and gives a more effective result than any flail.

This Power Shredding technology is so capable that it has been transferred into the acclaimed Blaney Agri tractor Power Shredders and hedge cutters. It can reach the wet / soft and steep areas that your tractor can't. With the Power Shredder running in excess of 1000rpm more than a tractor flail, this high speed combined with a specially developed 'High Flow' rotor can achieve remarkable results in vegetation up to 6ft, 1.8m in height.

With a number of material and design innovations, no other manufacturer has been able to produce an ATV mower with such impressive capabilities.

As existing ATV mowers on the market aren't capable in 'Lough Areas' in extremely dense 5/6ft bull rushes/reeds or dense heather, which has become commonplace in wetland areas, Quad-X has developed the Power Shredder.

For wider machines see the Blaney Agri Tractor Power Shredder Range.



Double bogie option shown

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

Power Shredder

Quad-X have pioneered power shredding technology for a fine chop in extreme conditions.



The Quad-X Power Shredder equipped with special rush blades as standard allows you to cut in heavy dense material such as rushes, or in areas of bracken or heather.

With our development of the Power Shredder for extreme conditions and contractors, there is also a double axle 4 wheeled pivot bogie system available for wet conditions. It also makes a smoother ride in rough conditions allowing faster cutting speeds.

Features:

- ◆ Specially designed rush blades to shred the vegetation.
- ◆ Extra high cutting height from 30 - 250mm to allow you to work with the tallest of vegetation.
- ◆ Adjustable offset drawbar.
- ◆ Debris guards for maximum rider protection.
- ◆ By using 3-D finite element analysis on the deck we have been able to design the mower for maximum strength and minimum weight, making it easier to tow and reducing tyre indentation on the ground surface.
- ◆ 22-11x8 Flotation tyres ideal for use on soft and wet areas of ground.

Options:

- ◆ Cutting widths: 1.3m/4ft 3 & 1.5m/5ft.
- ◆ Briggs & Stratton v-twin commercial engine: 16hp & 18hp (recoil or elec start), 21hp & 23hp (electric start) 3 year warranty!!
- ◆ Break bar for tall material.
- ◆ Rear roller.
- ◆ 4 Wheel Double Bogie Option.



**Plastic Coated Fertiliser Sower.
Market Leading Spread & Easiest to Fill.**



7 Bag with 10 bag extension sides shown

This ground driven quad spreader comes with a 350kg capacity 'low fill height' hopper, and is ideal for spreading a variety of fertiliser and grass seed.

It is designed with contractors in mind, for frequent use and is extremely durable. The plastic coated finish and the use of stainless steel components increase resistance to the corrosive nature of modern fertilisers. It has an extra wide axle for stability and varies track width from the quad for wet conditions.

Features:

- ◆ Spreading bias adjustment.
- ◆ 22x11-8 flotation tyres for soft ground.
- ◆ Made from plastic coated and stainless steel components for durability.
- ◆ Adjustable spreading width – up to 14m.

Options:

- ◆ Capacity 350kg.
- ◆ Extension sides to hold up 500kg or 600kg.
- ◆ Optional lever engagement to disengage the spinner while seated.

Lowest fill height you can buy...
50kg bags- NO PROBLEM!!

See the machines in action at
www.quad-x.com.



Lever engage model

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800



The Quad-X **Seeders** are capable of spreading a wide variety of seeds for those on a budget. The **Electro broadcaster** is a high specification spreader designed for more accurate spreading of grass seed, clover and slug pellets and even suitable for granular fertiliser. Variable Speed 60L model also available. The Electrobroadcasters are available with an optional salt spreading kit suitable for dry bagged salt.

- ◆ Capacity: 30L or 60L.
- ◆ Universal easy mount system with adjustable height.
- ◆ Stainless steel & plastic components for durability (electro broadcaster only)
- ◆ Optional salt spreading kit. (electro broadcaster only)
- ◆ Optional Remote shut off control and wiring for tractor use. (electro broadcaster only)

6 Bag Fertiliser Sower

Given the number of inferior machines available, Quad-X offer the highest quality, most robust sower in its class. This ground driven sower has a 6 bag / 300kg capacity, for those with a budget in mind. It is best suited to light duty applications for use on smallholdings, golf courses or for ground maintenance.



- ◆ Lightweight and easily towed.
 - ◆ Capacity 300kg.
 - ◆ Suitable for fertiliser, powder, seed and magnesium spreading.
 - ◆ Optional salt spreading kit available.
 - ◆ 18x9.5-8 knobby tyres.
 - ◆ Optional 22x11-8 tyres.
- ◆ Large stainless steel dished spinner for corrosion resistance and excellent spread up to 14m.

Salt Spreaders

Quad-X offer a range of ATV salt spreaders from 25kg to 300kg capacity, ideal for treating icy surfaces. These gritters can also be used to spread fertiliser and grass seed to maximise your investment. For features and options please visit www.quad-x.com.

Given the number of inferior machines available, Quad-X offer the highest quality, most robust spreader in its class. The salt spreaders are equipped with special deflector plates and agitation system for use with bagged granular salt and grit (must be dry).

25kg / 50kg Salt Spreader

These handy ATV mounted salt spreaders are ideal for use on roads, commercial premises or in car parks.



50kg model

- ◆ Stainless steel agitator & spinner.
- ◆ Also suits grass seed & fertiliser.
- ◆ Fits easily to rear ATV rack.
- ◆ Powered from 12v supply.
- ◆ UV protected hopper.

300kg Salt Spreader

The 300kg salt spreader can be towed behind a quad or any vehicle with a 50mm tow ball thanks to an adjustable drawbar height and linkage to level the drawbar.



Also suitable for fertiliser and grass seed.

- ◆ Lightweight and easily towed.
- ◆ Capacity 300kg.
- ◆ UV protected hopper.
- ◆ 18x9.5-8 knobby tyres.
- ◆ Optional 22x11-8 tyres.
- ◆ Available in kit form or assembled.
- ◆ Large stainless steel dished spinner for corrosion resistance and excellent spread.

The Quad-X salt spreader is specially designed with a specific gearbox with a gearing ratio for better traction in icy conditions. The 300kg salt spreader comes with knobby 18x9.5x8 tyres. The 4 stud hubs allow for easier wheel changes.



Drum Stock Feeder with wooden cover

Quad-X offer Electric and Manual drop feeders, both designed to feed livestock quickly and easily, reducing stress on the animals, avoiding trampling of the ground and reducing wastage. Imagine... no more bags and no need for troughs.

Features:

- ◆ 350kg or 500kg capacity (500kg electric drop model only)
- ◆ Galvanised hopper for long life.
- ◆ 22-11x8 flotation tyres.
- ◆ Adjustable feed piles.
- ◆ Optional tarpaulin cover with support or hay rack to keep feed dry.

Drum Ground Driven Stock Feeder

The 350kg ground driven drum stock feeder distributes feed in piles 6ft apart and lets you adjust the feed rations from ½ kg to 2kg. Equipped with mudguards as standard.

Electric Drop Stock Feeder

Market leading ground clearance and low fill height with a nudge bar to protect stock. The Electric Drop Stock Feeder is equipped with a sophisticated controller and drop counter with variable distance control which mounts easily on the handlebars or front rack. Simply set the number of drops needed and the controller counts down automatically to zero, letting you get on with driving safely without having to worry about when to stop it.

Options include: mudguards & double bogie wheels

Electric Stock Feeder with hay rack





Muck Junior shown

The daily task of mucking out outhouses and stables can quickly become an unwelcome chore. Quad-X has developed a range of Muck Spreaders to help you avoid huge muck piles. Our innovative design has allowed us to develop the Equi Muck (6.5hp, 5 barrowful capacity), the Muck Junior (10hp, 5 barrowful capacity) and the Muck Master (10hp, 8 barrowful capacity).

Muck Junior



The Muck Junior features:

- ◆ Capacity of 0.63m³ or 5 barrowfuls.
- ◆ Powerful 10hp engine.
- ◆ Muck can be shovelled directly into the muck spreader avoiding extra shovelling.
- ◆ Galvanised body for durability.
- ◆ PTO version for a small tractor available soon.

It is handy, cost effective and will allow you to spread your own manure, avoiding the need for a contractor, which can be expensive and often cause damage to the ground when heavy machinery is used.

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

Rollers



The roller can be used with any vehicle with a tow hitch. Designed for paddocks, playing fields, landscaping and other ground maintenance applications. Manufactured to a contractors' spec from heavy duty materials with adjustable weight to ensure precision compaction.

- ◆ Adjustable weight.
- ◆ Made from heavy duty materials.
- ◆ Width: 1.5m, Diameter 500mm.
- ◆ A Budget Roller is available which is suitable for those who work with smaller areas. It has an adjustable weight and is 1.2m wide.

Aerator

Improves drainage & nutrient uptake for healthier grass.

Aerators are used extensively by organic farmers and greenkeepers as they allow surface water to drain, stimulating root growth and encouraging absorption of nutrients into the soil for better grass growth.

The blades are specially designed to allow oxygen to get to the roots which helps to improve growth rates for higher yields and enhance grazing quality. This system is unique in that you don't have to buy special weights for this machine.





This Menage Grader has been developed for a massive improvement in surface conditioning. While most current systems use trailing tines, Quad-X engineers have challenged this with their advanced protruding conditioner that lifts compacted subsurface material and aerates this to the surface. Superb surface condition results have been achieved due to specially shaped advanced break up. The conditioners also remain in the material even with much larger break out forces associated with freezing conditions.

Features:

- ◆ 2.4m wide (folds up for storage).
- ◆ Levelling height adjustment.
- ◆ Handy lifting mechanism & wheels for easy transportation.
- ◆ High capacity adjustable blade with unique profile for smoothing action.
- ◆ Unique design adjustable angled wing blade for grading the edges to provide a 1 pass finish.
- ◆ Heavy duty castor to protect the blade from damage.
- ◆ 14 Heavy duty high tensile steel double sprung, dual prong tines –with 28 contact points with subsurface. Forward facing for better break up with adjustable height.
- ◆ 15x6-6 tyres which can be locked up to allow the grader to follow the ground.
- ◆ Unique fold up design for easy storage.

Options:

- ◆ Rear press with unique 2 section design to assist with drainage and hoof support. (This unique design uses the weight of machine to rest on the rear press for max impact).

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

With an improved larger capacity, the levelling blades allow more material to be carried, especially useful for dealing with material build up around the edges. The smooth profile of the blades where contact with the surface is made allows for a much smoother finish.

The optional adjustable rear press ensures that more than one edge is touching the ground at any one time, providing a light unsymmetrical compaction system that doesn't seal the surface. This allows free drainage, and assists in maximising hoof support.

The result is an unrivalled surface evenness, on all surfaces and level finish first time (other half door models mean a second run is required) For use on sand and other rubber/fibre mixture surfaces.



Chain Harrows



- ◆ 3 way harrows.
- ◆ Widths include: 4 ft / 1.2m & 6ft / 1.8m.
- ◆ 5ft / 1.45m long.

Quad- X harrows are 3 way harrows, manufactured from 11mm high-tensile steel. They have been developed specifically to suit ATVs / UTVs (other standard harrows projection and angles are suited to tractors which travel more slowly).

With a Quad-X harrow you have peace of mind that you are not wasting your money or your time. They are ideal for grass harrowing, levelling horse arenas, removing moss, seed or bed preparation and horse manure spreading. Suitable for golf courses, beaches, equestrian centres and football pitches.

Front Mounts and Lift Systems

Get the most out of your quad by adding Quad-X equipment to the front, to help with many tasks such as mucking out, sweeping or feeding housed livestock.

We offer 3 models of Front Mount Systems:

- ◆ Basic Mount – Tube design compatible with the yard scraper only.
- ◆ Basic Angled Mount - Compatible with the Yard Scraper, Dozer Blade, Silage Blade and Snow Plough only.
- ◆ Supermount - Compatible with ALL attachments.

These front mount systems should fit onto any quad.

Supermount



The strongest, most versatile front mount system you can buy.

It fixes to the underside of almost all ATVs and maximises your ground clearance. It can be used with numerous Quad-X attachments such as the Power Sweeper and Front Bucket. Quick release clips allow easy attachment / removal of the front accessories in seconds.

Lift Systems

All Quad-X front mount systems require a manual or electric lift. Electric lift is easier, quicker and smoother with controls located at the handlebars to lift/lower the attachments while moving. If you want to use the lift for pulling heavier loads or using the front bucket, the ATV winch is recommended.

Electric Lift:



- ◆ Winch 907kg pulling power.
- ◆ Complete with universal mount bracket.

Manual Lift:



- ◆ Ideal for those on a budget.
- ◆ Compatible with all Quad-X front mount systems.

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

Front Bucket



Front Bucket mucking out



- ◆ Requires Quad-X Supermount system.
- ◆ Requires Electric Lift.

Yard Scraper

A Quad-X ATV scraper is the ideal solution to yard and outhouse upkeep, fitted with heavy duty rubber to prevent damage to surfaces. Optional rubber sides are available for extra protection. The high tensile steel frame is designed for long life. The yard scraper is 1.3m wide and is ideal for getting into narrow areas.



- ◆ We also offer a wider 1.55m yard scraper, which is suitable for larger ATVs and UTVs.



Snow Plough



Fits almost ALL Quads and ATVs!!
For Utility Vehicles - see page 48

The Quad-X Snow Plough is easily angled left/right (5 positions) to push snow either side. Adjustable skids and a reversible/replaceable 2 sided blade protect the plough. It is also spring loaded to cushion collisions with obstacles. 1.2m and 1.5m widths available. Optional rubber strip for tarmac areas.



- ◆ 1.2m & 1.5m widths.
- ◆ Requires Supermount or Basic Angled Front Mount System.
- ◆ Requires manual or electric lift.

Silage Pusher



- ◆ Requires Quad-X Supermount system.
- ◆ Requires manual/ electric lift. Electric lift recommended.
- ◆ Angles left / right to clear both sides of the passage.

The rotating wheel design allows silage to be moved within reach of the livestock, clearing the passageway. The wheel runs along the ground, rotating as the quad moves forward to collect the loose silage.

Silage / Dozer Blade



- ◆ Requires Basic Angled Front Mount or Supermount.
- ◆ Requires manual/ electric lift.
- ◆ Angles left / right.

As a silage blade, this versatile attachment is useful for feeding housed livestock which avoids the need for graping silage. It is spring loaded and easily angled, equipped with a 2-sided rubber blade to protect the floor from damage. This blade can also be used as a dozer blade to help level out soil or for other tasks around the yard or garden.

Sweeper / Rotary Brush

The Quad-X ATV Sweeper is innovatively designed to make yard upkeep easier. It is a very light yet strong machine, suitable for 2 wheel drive quads. It can clear large areas in no time, ideal for road cleaning after crop removal from field.

Make back-breaking brushing a thing of the past.

- ◆ Requires Supermount system.
- ◆ Hardwearing bristles for long life.
- ◆ 6.5hp Briggs and Stratton engine.
- ◆ Offsets left and right.
- ◆ Width: 1.2m.



Custom Sweeper

Quad-X have designed a range of Sweepers suitable for use with ATVs, UTVs and Compact Tractors. Quad-X can custom build these sweepers to suit your individual application and needs.

Suitable for use with a wide range of vehicles including compact tractors and landscape vehicles, with hydraulic, engine or PTO drive options.

The powerful bristles are designed with elasomer to enhance brush life and permit slight bending at the tip to dig out the dirt and dust giving an outstanding cleaning performance.

Widths from 1.2m (4ft) to 3m (10ft).



Options:

- ◆ Muck Lifter (ideal for sites where lorries / agri machines leave large muck lumps).
- ◆ Heavy Duty Contractor Models.
- ◆ Various brush diameters (including big 660mm diameter brush).
- ◆ Dust suppression kit.
- ◆ Galvanised finish.

High Grip Rack Cover



This simple yet effective tool can be fitted to any ATV rack quickly and easily. This rack cover allows you to place tools, buckets, etc on it and travel at low speeds without them sliding off as they would with existing racks, or without the time consuming task of tying them down.

Dog Pad



This is a perfect platform for your dog to sit on. With its high grip surface it allows your companion to have a comfortable ride on rough terrain.

Its textured surface also helps drain water away that may come from their hair. The extension flaps cover the fenders of the quad to offer protection from scratches when the dog is jumping on and off the rack, which will also help increase the resale value of your ATV.

For more information contact us on:

UK: 028 2587 2800 ROI: 048 2587 2800

Hand Muffs



- ◆ Fleece lined mitts to protect the rider's hands from the elements and from debris.
- ◆ Universal Fit.

Indicator Kit



- ◆ Flexible arm to reduce impact damage.
- ◆ Universal fit - bolt on to replace reflectors on most ATVs.
- ◆ Ideal for road use.
- ◆ Components only, wiring not supplied.

Brake Light



- ◆ Universal fit.
- ◆ Road Use.
- ◆ Wiring not supplied.



Quad-X have been involved in the design and development of Quad equipment since 1993, much of which is suitable for use with a Utility Vehicle (UTV). However we are delighted to now offer a range of Specialist UTV Equipment, designed specifically for these machines, to maximise your investment and get the most out of your UTV.

Please contact us or visit our website for up-to-date information relating to the availability of equipment for specific UTV models.

Please contact us about equipment for any utility vehicle including the Kawasaki Mule, Yamaha Rhino, Kubota RTV 900, Polaris Ranger and John Deere Gator.

An exciting range of specialist equipment for your Utility Vehicle.

UTV Sprayers & Booms

The Quad-X ATV Sprayer & Boom range (page 6-13) are all suitable for use with your UTV. The sprayers can easily be set in the rear cargo bed for use.

The Booms (5ft-16ft) can all be used with your UTV, when a boom mount specific to your machine is ordered.

Contact us for more details.



100L pro spray with anti-drift boom shown



To make the most of your UTV's loading capacity we offer a 230L mounted sprayer. This model is equipped with the Quad-X Superpump, with a 4 chamber pump for more pressure and finer droplets. This fully submersible pump carries an unrivalled 2 year parts warranty. Like the other Pro Spray Elite models, this sprayer also features a pressure gauge, return agitation and a quick release boom connection.

Features:

- ◆ High capacity 'Superpump' for spot and boom spraying.
- ◆ Lockable aluminium hand lance with a high-flow nozzle & 5m hose.
- ◆ UV protected, heavy wall tank for durability, with grooves to hold straps in place.
- ◆ Pressure gauge.
- ◆ Return agitation system for power based chemicals.
- ◆ Quick release valve for easy boom connection and removal.

Options:

- ◆ The 230L Pro Spray Elite can be fitted with a 5.5hp engine with self fill capabilities. Visit our website for more details.
www.quad-x.com



Given our unpredictable climate and often harsh weather conditions the Quad-X UTV Cab Kits provide effective protection from the elements to both driver and passenger. Following consultation with many UTV dealers and users we have developed a high quality, affordable UTV cab that is easy to assemble and is robust, yet lightweight.

We offer a range of 13 accessories to make up the UTV cab, allowing you to choose the items you want, at a price you can afford. You can select items individually or choose either a Basic Cab Kit (Roof & Windscreen) or a Super Cab Kit.



Kawasaki Mule 4010 Super Cab Kit with doors

The Super Cab Kit consists of the following:

- ◆ Windscreen Kit (toughened safety glass).
- ◆ Windscreen Gas Strut Kit (opens windscreen to horizontal position).
- ◆ Windscreen Wiper Kit (wide pattern arm for clear vision).
- ◆ Windscreen Wiper Washer Bottle Kit.
- ◆ Roof Kit (valleys eliminate drips).
- ◆ Roof Soundproofing.
- ◆ Rear Panel (toughened safety glass).
- ◆ Wing Mirrors.
- ◆ Front Worklamps.
- ◆ Rear Worklamp.
- ◆ Switch Bracket Kit (highlighted switches for easy location in the dark).
- ◆ Optional Doors.

The UTV Cab is available firstly for the Kawasaki Mule 4010. This fully powder-coated cab is finished in black and gets full marks for aesthetic appeal. It can fit to the Mule's original ROPS frame and is designed to minimise the load on the vehicles front suspension. Please contact us or visit our website for details on availability of cabs for other UTV Models.

We challenge you to find a better cab!

UTV Cab Doors



The optional doors allow for the cab to further protect the driver from harsh weather. The doors are diamond coated polymer for improved strength making them 250 times stronger than glass, and lighter for the vehicle's suspension.

Features:

- ◆ Diamond coated polymer doors for improved strength - 250x stronger than glass for reduced scratches.
- ◆ Compatible with the Quad-X cab kits which fit to the existing ROPS frame.
- ◆ Door can lock back to allow for driving with doors open.
- ◆ Fully Lockable to protect anything stored in the Mule Cab.

UTV Front Mount Attachments

UTV Supermount

Quad-X offer a versatile UTV Supermount System to fit to the underside of your UTV. It is compatible with a range of front mount attachments, such as the Quad-X yard scraper, snow plough and sweeper.



- ◆ Gives great ground clearance in rough terrain.
- ◆ No drilling required to fit the Supermount System.
- ◆ Once the mount is fitted, accessories can be attached or removed in seconds.

Please contact us or visit our website for details on availability of the Supermount System for UTV Models in the Kawasaki, Yamaha, Polaris, John Deere and Kubota ranges.

Electric Lift

The Quad-X electric lift system gives easy, quick and smooth control of the height attachments. The Quad-X winch needs to be fitted to the UTV Supermount System. A rocker control switch is provided which can be mounted on the dash to give easy access.

Yard Scraper

The Quad-X UTV Yard Scraper is the ideal solution to yard and outhouse upkeep saving elbow grease if you currently use a manual scraper, and saving time and hassle compared to a tractor scraper.

- ◆ Fitted with heavy duty rubber to prevent damage to surfaces.
- ◆ Optional rubber sides are available for extra protection.
- ◆ High tensile steel frame is designed for long life.
- ◆ 1.55m wide, can be angled left/right in 5 positions.



Snow Plough



1.8m blade shown



Kubota tractor with snow plough

The Quad-X UTV Snow Plough can be angled left or right (5 positions) to push snow either side. It is spring loaded to cushion collisions with obstacles while adjustable skids give further protection to the UTV snow blade.

- ◆ 1.5m & 1.8m widths.

Also Snow Ploughs for
Compact Tractors.



The splitfire range of log splitters has been developed following numerous requests for a high capacity machine capable of splitting logs up to 1m long.

- ◆ Heat treated hardened alloy steel wedge for better wear resistance than cast or shaped plate.
- ◆ Various tonnage, up to 13T.

Options:

- ◆ Transport Wheels - for easy manual transport.
- ◆ Bag catch - once the billet is split it can go straight into a bag to always keep work area clear and safe.
- ◆ Bag holder option for both sides.
- ◆ Log Catch - handy if working with larger diameter logs requiring more than 1 cut.
- ◆ Table - for raised working position for short logs for operator comfort and less muscle fatigue after long period of use. No tools required to remove / attach.





Advanced Agricultural Solutions for tractors.

The success of Quad-X to develop quality, innovative products led to customer demand for the same unique technology to be available on a larger scale for use with tractors.

In response to this explosive demand, the Blaney Agri Solutions Tractor Division was created and successfully applied the design and manufacturing philosophy to a whole range of products.

Products include:

- ◆ Tractor Weed Wipers.
- ◆ Tractor Sprayers.
- ◆ Hedgecutters.
- ◆ Power Shredders.
- ◆ 3 in 1 Power Shredders.
- ◆ X Cut Rotary Mowers.
- ◆ SwathAir - swather/wilting.
- ◆ Aerators / Slitters.
- ◆ Bale Shredder (for silage & straw).
- ◆ Forager (Bale Unroller).
- ◆ Bale Blade
- ◆ Poultry Bedder.
- ◆ Cubicle Bedder.
- ◆ Sweeper Brush.
- ◆ Log Splitter.
- ◆ 3.5 Ton Trailers.
- ◆ Tipping Trailers.

For more information on the Blaney Agri Tractor Division visit www.blaneyagri.com or find us on Facebook and Twitter.





Spare Parts

As the manufacturer of these products, we can provide you with peace of mind that all spare parts can be sourced straight from us.

This will reduce your down time meaning you will spend more time on the job.

Servicing

All of our parts come as standard with a 1 year parts warranty. We also offer additional warranty packages, which can include onsite repairs.

Speak to our team about our Optional
Extended Warranty Packages.



Quad-X

Dealer Stamp:



Visit our website for more information on our extensive range or to view video clips of our machinery in action. Register online to receive exclusive special offers and product updates. www.quad-x.com

Contact Quad-X on:

UK: 028 2587 2800

ROI: 048 2587 2800

INTL: 0044 (0) 28 2587 2800

Fax: 0044 (0) 28 2587 8784

Email: info@quad-x.com

37 Carnearney Rd, Ahoghill, Ballymena.
Co Antrim. BT42 2PJ. Northern Ireland

Follow us on Twitter!



QuadXmachinery

Find us on Facebook!



QuadXmachinery

When operating any Quad-X equipment and especially in conjunction with an ATV or Utility Vehicle, always ensure that you or your staff:

- Are properly trained in the safe operation of the equipment being used.
- Are wearing appropriate safety and protective clothing for the work being carried out – consult HSE guidelines if unsure.
- Consult vehicle owner manuals for loading weights and towing capabilities.
- Adhere to the Quad-X owner's manuals' instructions before use and adhere to the maintenance schedule.

In line with our policy of continuous product development, Quad-X reserve the right to alter the specifications of products at any time without prior notice.

2015

Machinery Made For YOU!
www.quad-x.com

Quad-X